# Package 'inflateR'

November 1, 2026

**Title** Inflation Adjustment for Historical Currency Values

**Version** 0.2.1

**Description** Convert historical monetary values into their present-day equivalents using bundled CPI (Consumer Price Index) and GDP deflator data sourced from the World Bank Development Indicators. Supports British pounds (GBP), Australian dollars (AUD), US dollars (USD), Euro (EUR), Canadian dollars (CAD), Japanese yen (JPY), Chinese yuan (CNY), Swiss francs (CHF), New Zealand dollars (NZD), Indian rupees (INR), South Korean won (KRW), Brazilian reais (BRL), and Norwegian krone (NOK). Currency codes and country names are both accepted as input.

**License** MIT + file LICENSE

**Encoding** UTF-8

**Language** en-US

**URL** https://charlescoverdale.github.io/inflateR/, https://github.com/charlescoverdale/inflateR

**BugReports** https://github.com/charlescoverdale/inflateR/issues

**LazyData** true

**Depends** R (>= 3.5.0)

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Config/roxygen2/version** 8.1.0

**NeedsCompilation** no

**Author** Charles Coverdale [aut, cre]

**Maintainer** Charles Coverdale <charlesfcoverdale@gmail.com>

**Repository** CRAN

**Date/Publication** 2026-11-01 16:20:20 UTC

# Contents

adjust_inflation . . . 2
adjust_real . . . 3
aud_cpi . . . 5
aud_gdp_def . . . 5
brl_cpi . . . 6
brl_gdp_def . . . 6
cad_cpi . . . 7
cad_gdp_def . . . 7
chf_cpi . . . 8
chf_gdp_def . . . 8
cny_cpi . . . 9
cny_gdp_def . . . 9
eur_cpi . . . 10
eur_gdp_def . . . 10
historical_real . . . 11
historical_value . . . 12
inflation_rate . . . 13
inr_cpi . . . 13
inr_gdp_def . . . 14
jpy_cpi . . . 14
jpy_gdp_def . . . 15
krw_cpi . . . 15
krw_gdp_def . . . 16
list_currencies . . . 16
nok_cpi . . . 17
nok_gdp_def . . . 18
nzd_cpi . . . 18
nzd_gdp_def . . . 19
uk_cpi . . . 19
uk_gdp_def . . . 20
usd_cpi . . . 20
usd_gdp_def . . . 21

**Index** **22**

---

`adjust_inflation` *Adjust a historical monetary value for inflation*

---

## Description

Converts an amount from a historical year into its equivalent value in a target year, using bundled CPI data sourced from the World Bank Development Indicators. Supports GBP, AUD, USD, EUR, CAD, JPY, CNY, CHF, NZD, INR, KRW, BRL, and NOK.

## Usage

```
adjust_inflation(amount, from_year, currency, to_year = NULL, round = 2)
```

## Arguments

| | |
|---|---|
| amount | Numeric (scalar or vector). The original monetary amount(s). |
| from_year | Integer. The year the amount is from. |
| currency | Character. A currency code or country name. Accepted codes: "GBP", "AUD", "USD", "EUR", "CAD", "JPY", "CNY", "CHF", "NZD", "INR", "KRW", "BRL", "NOK". Country names are also accepted, e.g. "Australia", "United States", "Japan", "New Zealand", "India", "Norway" (case-insensitive). |
| to_year | Integer. The target year to adjust to. Defaults to the latest available year in the data. |
| round | Integer or NULL. Number of decimal places to round to (default 2). Use NULL for full precision. |

## Value

A numeric value (or vector) representing the inflation-adjusted amount.

## See Also

Other CPI adjustment: historical_value()

## Examples

```
# What is £12 from 1963 worth today?
adjust_inflation(12, 1963, "GBP")

# What is AUD 50 from 1980 worth in 2000?
adjust_inflation(50, 1980, "AUD", to_year = 2000)

# Full precision
adjust_inflation(100, 2000, "USD", to_year = 2020, round = NULL)
```

---

# adjust_real *Adjust a monetary value using a GDP deflator*

---

## Description

Converts an amount between two years using GDP deflator data sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Suitable for adjusting GDP figures, government expenditure, and other macroeconomic aggregates. For adjusting personal or consumer values (wages, prices of goods), use adjust_inflation which uses CPI instead.

## Usage

```
adjust_real(amount, from_year, currency, to_year = NULL, round = 2)
```

## Arguments

| | |
|---|---|
| amount | Numeric (scalar or vector). The original monetary amount(s). |
| from_year | Integer. The year the amount is from. |
| currency | Character. A currency code or country name. Accepted codes: "GBP", "AUD", "USD", "EUR", "CAD", "JPY", "CNY", "CHF", "NZD", "INR", "KRW", "BRL", "NOK". Country names are also accepted, e.g. "Australia", "United States", "Japan", "Switzerland" (case-insensitive). |
| to_year | Integer. The target year to adjust to. Defaults to the latest available year in the deflator series. |
| round | Integer or NULL. Number of decimal places to round to (default 2). Use NULL for full precision. |

## Details

The GDP deflator measures price changes across all goods and services produced in an economy, unlike CPI which tracks a fixed consumer basket. Key differences from CPI:

- Covers all domestic production, not just consumer goods
- Excludes imported goods (CPI includes them)
- Updates its basket automatically (CPI uses a fixed basket)
- Published annually/quarterly (CPI is monthly)

Use the GDP deflator when comparing macroeconomic aggregates (GDP, government spending, investment) across time. Use adjust_inflation for personal or consumer values.

## Value

A numeric value (or vector) representing the deflator-adjusted amount.

## See Also

Other GDP deflator adjustment: historical_real()

## Examples

```
# Adjust UK GDP from 1990 to today using GDP deflator
adjust_real(500000, 1990, "GBP")

# Compare US government spending in 2000 vs 2020 terms
adjust_real(1000000, 2000, "USD", to_year = 2020)
```

## aud_cpi *Australian CPI Data (1960-2025)*

### Description

Annual Consumer Price Index for Australia, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
aud_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## aud_gdp_def *Australian GDP Deflator Data (1960-2025)*

### Description

Annual GDP deflator for Australia, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
aud_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

## brl_cpi *Brazilian CPI Data (1990-2025)*

### Description

Annual Consumer Price Index for Brazil, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100. Data availability begins in 1990.

### Usage

```
brl_cpi
```

### Format

A data frame with 36 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## brl_gdp_def *Brazilian GDP Deflator Data (1990-2025)*

### Description

Annual GDP deflator for Brazil, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
brl_gdp_def
```

### Format

A data frame with 36 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

## cad_cpi *Canadian CPI Data (1960-2025)*

### Description

Annual Consumer Price Index for Canada, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
cad_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## cad_gdp_def *Canadian GDP Deflator Data (1960-2025)*

### Description

Annual GDP deflator for Canada, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
cad_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

## chf_cpi *Swiss CPI Data (1960-2025)*

### Description

Annual Consumer Price Index for Switzerland, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
chf_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## chf_gdp_def *Swiss GDP Deflator Data (1960-2025)*

### Description

Annual GDP deflator for Switzerland, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
chf_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

## cny_cpi *Chinese CPI Data (1986-2025)*

### Description

Annual Consumer Price Index for China, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100. Data availability begins in 1986.

### Usage

```
cny_cpi
```

### Format

A data frame with 40 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## cny_gdp_def *Chinese GDP Deflator Data (1960-2025)*

### Description

Annual GDP deflator for China, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
cny_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

## eur_cpi *Euro Area CPI Data (1960-2025)*

### Description

Annual Consumer Price Index for Germany, used as a proxy for the Euro (EUR). Sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
eur_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Details

Note: The Euro area aggregate is not available in WDI. Germany is used as a proxy as it is the largest Eurozone economy and was the monetary anchor (Deutsche Mark) prior to the Euro's introduction in 1999.

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## eur_gdp_def *Euro Area GDP Deflator Data (1960-2025)*

### Description

Annual GDP deflator for Germany, used as a proxy for the Euro (EUR). Sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
eur_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

---

`historical_real` *Convert a value to its historical equivalent using a GDP deflator*

---

### Description

Takes a monetary amount from a recent year and returns what it would have been worth in a specified historical year, using GDP deflator data sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). This is the inverse of `adjust_real`.

### Usage

```
historical_real(amount, to_year, currency, from_year = NULL, round = 2)
```

### Arguments

| | |
|---|---|
| `amount` | Numeric (scalar or vector). The monetary amount(s) in the reference year. |
| `to_year` | Integer. The historical year to convert back to. |
| `currency` | Character. Currency code (`"GBP"`, `"AUD"`, `"USD"`, `"EUR"`, `"CAD"`, `"JPY"`, `"CNY"`, `"CHF"`, `"NZD"`, `"INR"`, `"KRW"`, `"BRL"`, `"NOK"`) or country name (`"Australia"`, `"United States"`, etc.) — case-insensitive. |
| `from_year` | Integer. The year the amount is from. Defaults to the latest year available in the deflator series. |
| `round` | Integer or `NULL`. Number of decimal places to round to (default 2). Use `NULL` for full precision. |

### Details

For converting consumer or personal values, use `historical_value` which uses CPI instead.

### Value

A numeric value (or vector) representing the historical equivalent amount.

### See Also

Other GDP deflator adjustment: `adjust_real()`

### Examples

```
# What would UK GDP of £2 trillion today have been in 1990 terms?
historical_real(2e12, 1990, "GBP")

# What would USD 1 trillion in 2020 have been worth in 2000?
historical_real(1e12, 2000, "USD", from_year = 2020)
```

`historical_value` *Convert a present-day value to its historical equivalent*

## Description

Takes a monetary amount from a recent year and returns what it would have been worth in a specified historical year, using bundled CPI data sourced from the World Bank Development Indicators. Supports GBP, AUD, USD, EUR, CAD, JPY, CNY, CHF, NZD, INR, KRW, BRL, and NOK.

## Usage

```
historical_value(amount, to_year, currency, from_year = NULL, round = 2)
```

## Arguments

| | |
|---|---|
| `amount` | Numeric (scalar or vector). The monetary amount(s) in the reference year. |
| `to_year` | Integer. The historical year to convert back to. |
| `currency` | Character. Currency code (`"GBP"`, `"AUD"`, `"USD"`, `"EUR"`, `"CAD"`, `"JPY"`, `"CNY"`, `"CHF"`, `"NZD"`, `"INR"`, `"KRW"`, `"BRL"`, `"NOK"`) or country name (`"Australia"`, `"United States"`, etc.) — case-insensitive. |
| `from_year` | Integer. The year the amount is from. Defaults to the latest year available in the data. |
| `round` | Integer or `NULL`. Number of decimal places to round to (default 2). Use `NULL` for full precision. |

## Value

A numeric value (or vector) representing the historical equivalent amount.

## See Also

Other CPI adjustment: `adjust_inflation()`

## Examples

```
# What would £100 today have been worth in 1963?
historical_value(100, 1963, "GBP")

# What would USD 500 in 2020 have been worth in 1980?
historical_value(500, 1980, "USD", from_year = 2020)
```

## inflation_rate *Calculate the inflation rate between two years*

### Description

Returns the cumulative or annualised inflation rate between two years, using bundled CPI data sourced from the World Bank Development Indicators.

### Usage

```
inflation_rate(from_year, to_year = NULL, currency, annualise = FALSE)
```

### Arguments

| | |
|---|---|
| from_year | Integer. The starting year. |
| to_year | Integer. The ending year. Defaults to the latest available year in the data. |
| currency | Character. A currency code or country name (case-insensitive). See adjust_inflation for accepted values. |
| annualise | Logical. If TRUE, returns the annualised (compound annual) rate. If FALSE (default), returns the cumulative rate. |

### Value

A numeric value representing the inflation rate as a proportion (e.g. 0.35 means 35\

### Examples

```
# Cumulative US inflation from 2000 to 2020
inflation_rate(2000, 2020, "USD")

# Annualised UK inflation from 1990 to 2020
inflation_rate(1990, 2020, "GBP", annualise = TRUE)
```

## inr_cpi *Indian CPI Data (1960-2025)*

### Description

Annual Consumer Price Index for India, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
inr_cpi
```

## Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

## Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

---

`inr_gdp_def` *Indian GDP Deflator Data (1960-2025)*

---

## Description

Annual GDP deflator for India, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

## Usage

```
inr_gdp_def
```

## Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

## Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

---

`jpy_cpi` *Japanese CPI Data (1960-2025)*

---

## Description

Annual Consumer Price Index for Japan, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

## Usage

```
jpy_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

---

## jpy_gdp_def *Japanese GDP Deflator Data (1960-2025)*

---

### Description

Annual GDP deflator for Japan, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
jpy_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

---

## krw_cpi *South Korean CPI Data (1960-2025)*

---

### Description

Annual Consumer Price Index for South Korea, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
krw_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

---

## krw_gdp_def *South Korean GDP Deflator Data (1960-2025)*

---

### Description

Annual GDP deflator for South Korea, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
krw_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

---

## list_currencies *List supported currencies and data coverage*

---

### Description

Returns a data frame showing all supported currencies, the country they represent, and the year range available for both CPI and GDP deflator data.

### Usage

```
list_currencies()
```

## Value

A data frame with columns:

**currency** ISO currency code (character)

**country** Country or area name (character)

**cpi_start** First year of CPI data (integer)

**cpi_end** Last year of CPI data (integer)

**deflator_start** First year of GDP deflator data (integer)

**deflator_end** Last year of GDP deflator data (integer)

## Examples

```
list_currencies()
```

---

# nok_cpi *Norwegian CPI Data (1960-2025)*

---

## Description

Annual Consumer Price Index for Norway, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

## Usage

```
nok_cpi
```

## Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

## Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## nok_gdp_def *Norwegian GDP Deflator Data (1960-2025)*

### Description

Annual GDP deflator for Norway, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
nok_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

## nzd_cpi *New Zealand CPI Data (1960-2025)*

### Description

Annual Consumer Price Index for New Zealand, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
nzd_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## nzd_gdp_def *New Zealand GDP Deflator Data (1960-2025)*

### Description

Annual GDP deflator for New Zealand, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
nzd_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

## uk_cpi *UK CPI Data (1960-2025)*

### Description

Annual Consumer Price Index for the United Kingdom, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
uk_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL

## uk_gdp_def *UK GDP Deflator Data (1960-2025)*

### Description

Annual GDP deflator for the United Kingdom, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100. Use for adjusting macroeconomic aggregates (GDP, government spending, investment). For consumer values, use `uk_cpi` instead.

### Usage

```
uk_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

## usd_cpi *US CPI Data (1960-2025)*

### Description

Annual Consumer Price Index for the United States, sourced from the World Bank Development Indicators (indicator: FP.CPI.TOTL). Rescaled so that 2020 = 100.

### Usage

```
usd_cpi
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** CPI index value (numeric, base 2020 = 100)

### Details

The World Bank has not published 2025: the Bureau of Labor Statistics collected no October 2025 prices during the lapse in appropriations. 2025 is therefore chained from the BLS CPI-U (all items, US city average) 2025 annual average, which BLS computed from the eleven months collected. The World Bank's US series is the CPI-U annual average, so the two are the same measure.

### Source

World Bank Open Data https://data.worldbank.org/indicator/FP.CPI.TOTL; 2025 from U.S. Bureau of Labor Statistics, series CUUR0000SA0 https://www.bls.gov/cpi/

---

## usd_gdp_def *US GDP Deflator Data (1960-2025)*

---

### Description

Annual GDP deflator for the United States, sourced from the World Bank Development Indicators (indicator: NY.GDP.DEFL.ZS). Rescaled so that 2020 = 100.

### Usage

```
usd_gdp_def
```

### Format

A data frame with 66 rows and 2 columns:

**year** Calendar year (integer)

**index** GDP deflator index value (numeric, base 2020 = 100)

### Source

World Bank Open Data https://data.worldbank.org/indicator/NY.GDP.DEFL.ZS

# Index


∗ **CPI adjustment**
  adjust_inflation, 2
  historical_value, 12
∗ **GDP deflator adjustment**
  adjust_real, 3
  historical_real, 11
∗ **datasets**
  aud_cpi, 5
  aud_gdp_def, 5
  brl_cpi, 6
  brl_gdp_def, 6
  cad_cpi, 7
  cad_gdp_def, 7
  chf_cpi, 8
  chf_gdp_def, 8
  cny_cpi, 9
  cny_gdp_def, 9
  eur_cpi, 10
  eur_gdp_def, 10
  inr_cpi, 13
  inr_gdp_def, 14
  jpy_cpi, 14
  jpy_gdp_def, 15
  krw_cpi, 15
  krw_gdp_def, 16
  nok_cpi, 17
  nok_gdp_def, 18
  nzd_cpi, 18
  nzd_gdp_def, 19
  uk_cpi, 19
  uk_gdp_def, 20
  usd_cpi, 20
  usd_gdp_def, 21

adjust_inflation, 2, *3, 4*, *13*
adjust_inflation(), *12*
adjust_real, 3, *11*
adjust_real(), *11*
aud_cpi, 5
aud_gdp_def, 5

brl_cpi, 6
brl_gdp_def, 6

cad_cpi, 7
cad_gdp_def, 7
chf_cpi, 8
chf_gdp_def, 8
cny_cpi, 9
cny_gdp_def, 9

eur_cpi, 10
eur_gdp_def, 10

historical_real, 11
historical_real(), *4*
historical_value, *11*, 12
historical_value(), *3*

inflation_rate, 13
inr_cpi, 13
inr_gdp_def, 14

jpy_cpi, 14
jpy_gdp_def, 15

krw_cpi, 15
krw_gdp_def, 16

list_currencies, 16

nok_cpi, 17
nok_gdp_def, 18
nzd_cpi, 18
nzd_gdp_def, 19

uk_cpi, 19
uk_gdp_def, 20
usd_cpi, 20
usd_gdp_def, 21